## IN THE CLAIMS:

١.

## 1-16. (Canceled).

17. (Withdrawn) A method of treating an inflammatory disorder in a subject, said method comprising:

administering to the subject an apoptosis inducing agent that exhibits its effect in aberrant cells involved with or related to immune diseases.

18. (Withdrawn) A method of treating an immune disease in a subject, said method comprising:

administering to the subject an apoptosis inducing agent that exhibits its effect in aberrant cells involved with or related to immune diseases.

19. (Currently amended) A method of treating an inflammatory disorder in a subject, said method comprising:

administering, to the subject, a gene delivery vehicle for use in to the subject, said gene delivery vehicle comprising:

a gene capable of expressing an apoptosis inducing agent exhibiting that exhibits its effect in aberrant cells involved with or related to immune diseases;

wherein said apoptosis inducing agent is the apoptosis inducing protein apoptin;
wherein expression of said apoptin inducing agent induces apoptosis in the aberrant cells,
thus treating the inflammatory disorder in the subject.

20. (Currently amended) A method of treating an immune disease in a subject, said method comprising:

administering, to the subject, a gene delivery vehicle to the subject, said gene delivery vehicle comprising:

a gene capable of expressing an apoptosis inducing agent that exhibits <u>its</u> effects in aberrant cells involved with or related to immune diseases;

wherein said apoptosis inducing agent is the apoptosis inducing protein apoptin;
wherein expression of said apoptin inducing agent induces apoptosis in the aberrant cells,
thus treating the immune disease in the subject.

- 21. (Previously presented) The method according to claim 19, wherein said gene delivery vehicle further comprises a suicide gene.
- 22. (Previously presented) The method according to claim 21, wherein said suicide gene is inducible.
- 23. (Previously presented) The method according to claim 19, wherein said gene delivery vehicle has a tropism for hematopoietic cells.
- 24. (Previously presented) The method according to claim 19, wherein said gene delivery vehicle has a tropism for fibroblast-like synoviocytes.
- 25. (Currently amended) The method according to claim 19, wherein said gene delivery vehicle has been provided with comprises a targeting means.
- 26. (Previously presented) The method according to claim 19, wherein said gene delivery vehicle comprises a recombinant adenovirus.

- 27. (Withdrawn) The method according to claim 17, wherein the apoptosis inducing agent comprises apoptin or a functional fragment, derivative or equivalent thereof.
- 28. (Withdrawn) The method according to claims 17 wherein said apoptosis inducing agent is inducible.
- 29. (Withdrawn) A method for determining the presence of cells likely to result in an immune disease, said method comprising:

providing suspect cells with apoptin-like activity, subjecting said suspect cells to stress, and determining whether said cells undergo apoptosis.

30. (Withdrawn) A method for determining the presence the presence of autoimmune diseases in a subject, said method comprising:

obtaining a sample from said individual, said sample comprising cells implicated in said autoimmune disease,

providing said cells with apoptin-like activity, and determining apoptosis to determine if he subject has an autoimmune disease.

- 31. (Currently amended) The method according to claim 25, wherein said gene delivery vehicle has been provided with comprises a targeting means for fibroblast-like synoviocytes.
- 32. (Withdrawn) The method according to claim 29, wherein said suspect cells are stressed by heat shock, osmotic shock, UV or chemical stress.
- 33. (Previously presented) The method according to claim 21, wherein said gene delivery vehicle has a tropism for hematopoietic cells.

- 34. (Previously presented) The method according to claim 21, wherein said gene delivery vehicle has a tropism for fibroblast-like synoviocytes.
- 35. (Currently amended) The method according to claim 21, wherein said gene delivery vehicle has been provided with comprises a targeting means.
- 36. (Previously presented) The method according to claim 21, wherein said gene delivery vehicle comprises a recombinant adenovirus.
- 37. (New) A process of inducing apoptosis in a fibroblast-like synoviocyte, the process comprising:

infecting the fibroblast-like synoviocyte with a recombinant adenovirus comprising a gene encoding apoptin, thus inducing apoptosis.